CATTLE AGRICULTURAL SERVICE AND DIVISION OF AGRICOLA PROTECTION IT MODIFIES RESOLUTION N° 1,827 OF 1994 THAT ESTABLISHES REGULATIONS CUARENTENARIAS FOR the INTERNMENT OF SAWED WOOD AND IN LOGS

### SANTIAGO.

N°/.- SIGHT:

The arranged thing in the Law OrganicN<sup>o</sup> 18,755 of the Agricultural Service and Cattle, the Decree Law N<sup>o</sup> 3,557 of 1980.

on Agricultural Protection, the Resolutions of the Agricultural Service and Cattle N°s 3,815 of 2003 and 1,827 of 1994, and the Decrees of Agriculture N°s 156 of 1998 and 92 of 1999 of the Ministry of Agriculture, and

#### **CONSIDERING:**

- That it corresponds to Cattle the Agricultural Service and to establish the fitosanitarias exigencies to control the entrance of forest cuarentenarias plagues to the national territory.
- 2. That Cattle the Agricultural Service and has evaluated the requirements of entrance and the treatments of wood fumigation, having determined the necessity to update them.

## R AND S OR AND L V OR:

**INTRODÚCESE** to the Resolution N°1,827, of date 5 of August of 1994, that establishes cuarentenarias regulations for the internment of sawed wood and in logs, the following modifications:

1. It replaced letter a., of the points A.2, B.2, C.2 and D.2, by the following one:

THIS IS A COMPUTER-GENERATED TRANSLATION AND HAS NOT BEEN REVIEWED BY A PROFESSIONAL TRANSLATOR.

"a. The game must be put under in the origin country, to one of the treatments of authorized by the Agricultural Service and Cattle fumigation, specifying in the corresponding section of the Certificate Fitosanitario, the used chemical agent, active ingredient, dose (g/m3), temperature, time of exhibition and date of treatment. The treatments authorized are those that are detailed next:

THIS IS A COMPUTER-GENERATED TRANSLATION AND HAS NOT BEEN REVIEWED BY A PROFESSIONAL TRANSLATOR.

# i) Fumigation with Metilo Bromide (MB):

Temperature *	Dose	Minimum registries of concentration during the treatment (g/m3) **			
(°C)	(g/m3)	2 h	4 h	12 h	24 h
Tº =21	48	36	31	28	24
16-21	56	42	36	32	28
10-16	64	48	42	36	32

<sup>\*</sup> Minimum temperature of Treatment: 10° C

# II) Fumigation with Aluminum Phosphide, Fosfina or Fosfamina (PH3):

Dose	Time of exhibition	Room temperature	
(g i.a. /m3)	Days (hours) *	(° C)	
10	7 (168)	10° or more	

<sup>\*</sup> Measurements of concentration will be due to make each 12 hrs., during the course of the treatment (7 days), and 800 the harassing concentration will not have to be inferior to ppm.

The fumigated game will have to stay in permanent form with had the defense, of such way to avoid its reinfestación. "

2. The game eliminated the phrase "must come without galleries caused by insects", of the points A1, B1, C1 and D1.

ANOTESE, COMUNIQUESE AND PUBLIQUESE,

# FRANCISCO BAHAMONDE MEDINA NACIONAL DIRECTOR

<sup>\*\*</sup> Will be due to fulfill the harassing concentrations demanded, in the times established in the picture.

<sup>\*\*</sup> Minimum Time of Exhibition: 24 hours

#### SCD/SBF/TGR

## **DISTRIBUTION**

## Nacional director

Directors from the I to XII and the Metropolitan Region Legal division Division Agricultural Protection Office of Parts File